
Panasonic


Power Tools for Professionals



POWER, COMFORT, PE

High output power in compact body: With 470Nm high torque but only 2.6kg.

An all new twin hammer block design allows smaller size and lower weight but also gives reduced vibration and noise levels. Combining such features makes the new EY 7552 a desirable, comfortable but very hard working tool.



RFORMANCE: EY 7552



TECHNICAL DATA


4.2Ah Li-ion

EY 7552 LS2S

Cordless Heavy Duty Impact Wrench

NEW











TOUGH IP

\$ 4.2Ah





- Compact body length: 214mm
- Lightweight 2.6kg
- High power: max. 470Nm
- New twin hammer block design
- Battery capacity indication lamp
- 4.2Ah Li-ion battery
- Variable speed control / versatile
- Electric brake
- Extra battery pack as standard equipment

EY 7552 LS2S Voltage 18V Battery capacity accord. to IEC (technology) 4.2Ah (Li-ion) Charging time (usable/ full) 55min. / 70min. (using EY 0L82 B charger) Speed at no load (low/high) in min ⁻¹ (rpm) 0 - 1,550		
Battery capacity accord. to IEC (technology) 4.2Ah (Li-ion) Charging time (usable/ full) 55min. / 70min. (using EY 0L82 B charger) Speed at no load (low/high) in min ⁻¹ (rpm) 0 - 1,550	EY 7552 LS2S	
Charging time (usable/ full) 55min. / 70min. (using EY 0L82 B charger) Speed at no load (low/high) in min ⁻¹ (rpm) 0 - 1,550	Voltage	18V
(using EY 0L82 B charger) Speed at no load (low/high) in min ⁻¹ (rpm) 0 - 1,550	Battery capacity accord. to IEC (technology)	4.2Ah (Li-ion)
	Charging time (usable/ full)	
	Speed at no load (low/high) in min-1 (rpm)	0 - 1,550
Impacts / min (ipm) (M12 nut) 0 - 2,400	Impacts / min (ipm) (M12 nut)	0 - 2,400
Size (W x L x H) 77 x 214 x 252mm	Size (W x L x H)	77 x 214 x 252mm
Weight (incl. battery) 2.6kg	Weight (incl. battery)	2.6kg
Standard accessories		· charger ÉY 0L82 B

14.4V 18V Li-ion

EY 37A1 B

Cordless Blower

NEW









- Powerful air volume and wind speed
- Variable air volume control
- Without battery / charger

EY 37A1 B	
Voltage	14.4V / 18V (Li-ion)
Hours of use with 18V EY 9L51B	Approx. 15min.
Hours of use with 14,4V EY 9L45B	Approx. 22min.
Maximum air speed with 18V EY 9L51B	Approx. 70m/s (with nozzle)
Maximum air speed with 14.4V EY 9L45B	Approx. 60m/s (with nozzle)
Maximum air flow with 18V EY 9L51B	Approx. 3.0m³/min (w/o nozzle)
Maximum air flow with 14.4V EY 9L45B	Approx. 2.6m³/min (w/o nozzle)
Size excl. battery (W x L x H)	148 x 370 x 213mm
Weight (excl. battery)	1.2kg
Standard accessories	-







Panasonic Power Tools

"Panasonic House" Willoughby Road Bracknell, Berkshire RG12, 8FP, United Kingdom

Telephone: (01344) 853187 Facsimile: (01344) 853217

Panasonic

Panasonic Electric Works Europe AG

The design and specification of products are constantly changing in the interest of improvement. Whilst every care has been taken in preparation of this catalogue, some changes may not have been indicated and may have occurred after publication. Please check with your Panasonic dealer for details. Panasonic Electric Works Europe AG cannot accept responsibility for any errors and omissions.

Produced in Germany 09/2013 © 2013 Panasonic Electric Works Europe AG

www.panasonic-powertools.eu

DEALER'S STAMP